### COMPARRISION BETWEEN CURRENT 75 FT AERIAL AND 100 FT AERIAL

SUTPHEN	FERRARA
SD 75	100 HD
3F / J	100110
1999	2014
75 FEET	100 FEET
ALUMINUM	STEEL
	,
750 LBS MAX	1000 LBS MAX
25 MPH MAX WINDSPEED	50 MPH MAX WINDSPEED
3 COMMERCIAL STORIES	5 COMMERCIAL STORIES
4	6
1500 GALLONS PER MINUTE	2000 GALLONS PER MINUTE
PARTIAL CREDIT AWARDED FOR APPARATUS	MAX CREDIT AWARDED FOR APPARATUS
SYSTEM FROM SUTPHEN	NONE FOUND ON AERIAL APPARATUS IN LAST 10 YEARS
SINGLE HOSELINE FED WITH FOAM	ALL HOSES AND LADDER FED BY FOAM SYSTEM
	SP 75  1999  75 FEET  ALUMINUM  750 LBS MAX  25 MPH MAX WINDSPEED  3 COMMERCIAL STORIES  4  1500 GALLONS PER MINUTE  PARTIAL CREDIT AWARDED FOR APPARATUS  1 ALREADY POSSIBLY MORE WITH PROPRIETARY LADDER SYSTEM FROM SUTPHEN



## LEASE PROPOSAL

## **LOWEST TO HIGHEST**





**(L)** 

847-247-0771



847-247-0772



www.taxexemptleasing.com

December 16, 2014

City of Ingleside, TX

Re: Lease-Purchase Financing of a Demo Ferrara 100' Rear-Mount Platform Mounted on a 2013 HME Spectra Chassis

Ladies and Gentlemen:

We are pleased to provide the City of Ingleside with the following lease-purchase financing proposal. Tax-exempt leasing is a financing tool that allows municipal entities to purchase needed equipment immediately and pay for it over time. It's also a terrific way to avoid inflation by protecting you from future price increases! Under a lease-purchase financing arrangement, each payment you make is applied to principal and interest and, at the end of the term, YOU own the equipment outright.

The illustration below shows annual payments for a 10-year term:

Equipment Cost:

\$863,000.00

Trade-In:

(100,000.00)

Finance Amount:

\$763,000.00

Payment Frequency:

Annually in Arrears

Term:

10-years

Fixed Interest Rate:

2.86%

Rate Factor:

.11639

Annual Payment:

\$88,805.57

Interest rates, factors and payments assume that the Customer is a tax-exempt entity and the purchase of the equipment falls within the type of equipment allowed as tax-exempt under the I.R.S. Code. In the event this purchase is not exempt, the rate and payments will be adjusted accordingly. Further, it is assumed that the transaction will be "bank-qualified" and that the customer will not issue more than \$10 million in tax-exempt leases or bonds in the current calendar year.

First annual payment is due one year from the date of lease contract with subsequent payments due annually thereafter.

QUOTED RATES ARE VALID FOR 14 DAYS AND ARE SUBJECT TO CREDIT APPROVAL AND PROPER DOCUMENTATION.

Tax-Exempt Leasing Corp. is a privately-held equipment finance company providing innovative financing solutions to tax-exempt entities nationwide. We understand our customers' needs and provide them with competitive rates and superior customer service.

We appreciate this opportunity and look forward to hearing from you. Please let me know if I can answer any questions, if you need any additional proposals or options, or if you wish to proceed. I can be reached at 888-247-0771 or via cell phone at 708-347-6367.

Kind Regards,

Flame Delegan

Joanne Delegan

Senior Account Executive

#### LEASE FINANCING PROPOSAL

## Requested by Mike Johnson

#### Representing



#### Presented To (As Lessee)

### City of Ingleside, TX

Proposal Date:

December 16, 2014

Equipment Description: Commencement Date: Ferrara 100ft Platform on an HME Spectra Chassis

January 15, 2015

Option 1

Equipment Cost:

\$863,000

Trade In:

\$100,000

Amount Financed:

\$763,000

Lease Term: First Payment Date:

10 Years 1/15/2016

Payment Frequency:

Annual

Lease Rate:

2.88%

Payment Amount:

\$88,892.83

Payment Factor:

0.11650

0.11000

The information contained in this lease quote is privileged and confidential.

Any communication of this information in whole or in part is prohibited.

#### Qualifications:

- 1. <u>Pricing:</u> This is a lease proposal for the payment stream(s) indicated above. If any of the information identified above are not correct, please advise us so that we can determine if a new proposal is required. Other important elements of this proposal are:
  - a) Rate Expiration: Signing this proposal does not in itself lock in your rate. This lease must be credit approved, contracts properly signed, and the lease funded by Leasing 2 within thirty days from the date of this proposal to protect the rates quoted.
  - b) Closing Costs: There will be no up-front costs of any kind charged by Lessor including closing costs, points, administrative costs, etc Your attorney may charge you to review the lease documents and complete the opinion letter required with our lease documentation.
  - c) <u>Fixed Rates</u>: Rates for ten (10) years and under are fixed for the entire term. Terms over ten (10) years have a one time rate adjustment after ten years to the then current interest rates for the remaining term.
- 2. <u>Type of Lease:</u> This is a lease-purchase type of financing. After all the lease payments are made, Lessee will own the equipment without further cost.
- 3. Financial Reporting: All city, county and tax districts (including fire districts) will be expected to provide GAAP audited financial reports. All non-for profit corporations (vfd's) will be expected to provide IRS 990 federal tax returns. If you do not maintain these types of financial reports, plea contact us to discuss.
- 4. <u>Vendor Payable / Escrow Account (where applicable)</u>: In the event that the truck(s) and/or equipment are not ready to be delivered, proceed of this lease will be held in a vendor payable account until delivery/acceptance. This is a non-interest bearing account to Lessee.
- 5. <u>Bank Qualified:</u> Lessee shall certify that it has not designated, and does not reasonably anticipate designating, more than \$10,000,000.00 of obligations during the calendar year that the proposed lease is executed.



2525 West State Road 114 Rochester, IN 46975 (800) 700-7878 Fax: (800) 865-8517

www.republicfirstnational.com

December 16, 2014

To:

Mike Johnson

Vendor:

Ferrara Fire Apparatus

From:

Mackie Ozment

Customer:

City of Ingleside

Thanks for the opportunity to give you a quote on your latest project!

Equipment:

One (1) Demo Ferrara 100' Platform on a HME Spectra Chassis

Unit Cost:

\$863,000.00

Trade Allowance:

\$100,000.00

Net Financed:

\$763,000.00

Frequency of Payments:

Annual

Term:

10

Payments:

\$88,941.19

Factor:

.11661

APR:

2.89%

Estimated Closing Date:

January, 2015

Delivery Date:

To be determined

First Lease Payment Due:

January, 2016

The lease is to be executed within 14 days of the equipment purchase contract. The quote is subject to acceptance of our documentation and credit approval. Payments and rates reflect pre-application of escrow earnings and manufacturer discounts (if any); and are based upon vendor payments being made no earlier than above dates. Rates are subject to change with Treasury Bills of like-maturity prior to funding. The lease must qualify for Federal Income Tax Exempt status for the Lessor.

Sincerely,

Republic First National Corporation

Mackie Ozment mackie@rfnonline.com

## **CORRESPONDANCE**

### Proposal break down on 100 ft demo Ferrara Platform

Chief Thomas & Lovie,

After much discussion we have come up with an updated price for the demo platform for a yearend deal. I have also attached a finance quote from Tax Exempt Leasing that I did for Lasalle County, for reference on what the payment would be. If the truck is purchased before the end of Dec 2014, the first payment would not be due until January 5, 2016.

The pricing for this truck is as follows, the first payment not due until January 5, 2016.

Ferrara Rear Mount Platform-\$863,000.00-Original Cost-\$1,150,000.00-Yearly Payment-\$102,922.67

If you were to order this same platform in 2016 the unit would cost \$ 1,265,000.00

If the unit is not awarded before Dec 31st 2014, then the special pricing on demo will be not offered

This is a "YEAR END" special price from Ferrara on the 100ft rear mount Spectra chassis platform quint.

Please look over the attached quote and feel free to contact me at any time if you have any questions or concerns

Thanks,

Mike Johnson

Chief

Here is the best we can offer on the deal

If the city manager is ok with it, i can get the 3 lease quotes done for this afternoons meeting if he wants to mkve forward

Truck price is \$ 863,000

Trade into Ferrara a 1999 supthen 75ft tower which is required to have a new aerial cert and pump test cert and pass on site inspection upon pickup from Brindle Mountain for Ferrara \$ 100,000 deduct for trade in

Total purchase amount is \$ 763,000 for new demo spectra platform

Please let me know Asap so i can get all other info done in time

Thanks mike

## **HGAC CONTRACT**

# **SPECIFICATIONS**



#### FIRE APPARATUS PROPOSAL

December 16, 2014

City of Ingleside Fire Department 2425 Eight Street Ingleside, Texas 78362

We are pleased to submit our proposal for your consideration on the following complete apparatus in strict accordance with the attached proposal for:

One (1) Ferrara Fire Apparatus, Inc. HD100 Rear Mount Platform (Unit H5319) mounted on a HME Spectr chassis per the attached specifications and proposal purchased off HGAC Contract FS12-13:

Base Price:

\$863,000.00

Trade-In:

(\$100,000.00)

**Total Purchase Price:** 

\$763,000.00

The pricing provided is **exclusive** of all Federal, State and Local taxes and any other fees, which may apply unless specifically noted herein.

Payment Terms: Payment is due upon delivery and acceptance of completed apparatus.

The apparatus and equipment shall be supplied and shipped in accordance with the specifications and approvals by the City of Ingleside Fire Department. Delays due to strikes, war or other causes beyond our control not preventing, within 5 calendar days after receipt of order, and will be delivered to you at:

City of Ingleside Fire Department Ingleside, Texas

The specifications herein contained shall form a part of the final contract, and are subject to changes desired by the City of Ingleside Fire Department. The proposal specifications are supplied for construction purposes. Any additions and/or changes to the enclosed specifications shall be generated and/or approved by the City of Ingleside Fire Department, and accepted by Hall Motors/Ferrara Fire Apparatus, Inc.

Unless accepted within 30 days from this date, Hall Motors/Ferrara Fire Apparatus, Inc. reserves the right to withdraw this proposal.

Sincerely, Hall Motors

A Ferrara Fire Apparatus Dealer



### Shop Order

Page 1

Spectre HD-100 RMP Demo (H-5319)

ADMN-PROMO: FPA-10-000

Exp. Date: 07/04/2014 **Quote No:** 10848-0003 PLATFORM: FMP-20-320 Platform Custom - RMP 100' 100/300 Gallon Legals - Aerial **LEGALS:** FFA-00-100 **HME Spectr Custom Chassis CHASSIS:** -SPECTR CHASS-MODS: FCM-70-100 Chassis Mods - STOCK/CINDER PUMP-ENC: FPE-30-100 Pump Enclosure - Aerials - Rear Mount BODY: FBA-20-700 Bodies - Platform RMP 100' Ext 300 Gal \*\*\*\* BODY COMPONENTS \*\*\*\* **BODY-CMNT:** FBC-00-000 Platform - Rear Mount 100' PLATFORM: FAP-20-300 Elec. Components - Aerial RM Custom **ELE-CMPNT:** FEC-10-100 Warranty / Manuals - Platform Custom RMP WRNTY-MNLS: FWM-40-100 FEP-20-100 Loose Equipment Pkg. - Platform **EQUIPMENT:** Adminstration / Promotional

06/05/2014

06/05/2014				Page
PART NO	S	DESCRIPTION	QTY	ID
		== Legals - Aerial - 1403.002 03/17/14 ==	1	FE
00-12-0420		Manufacturer - Virtual	1	FE
00-12-0820		Certified Welders	1	FE
00-12-1020		Body Weight	1	FE
00-14-0620		Drawings - Approval	1	FE
00-18-0820	X	> Vehicle Transportation - Over the Road	1	
<i>00-22-0220</i>		Service Contacts	1	FE
<i>00-22-0620</i>		Company Service Vehicles	1	FE
00-22-0820		Replacement Parts	1	FE
		== HME Spectr Custom Chassis - 2.801 ==	1	HMC
00-00-0010		NFPA-1901, 2009 Edition - Incomplete Chassis	1	HMC
		CHASSIS	1	HMC
00-J0-1600		HME Spectr Tilt Cab & Chassis	1	HMC
00-J0-2000		Custom Firetruck Chassis	1	HMC
01-A0 <b>-</b> 0130		6x4 Chassis Vocation - Tandem Axle Drive - MFS Front Axle	1	HMC
01-H0-1600		Double Frame Rails	1	HMC
01-H0-1605	X	Wheelbase: 242"	1	
01-J0-4000		Cab Main Frame Crossmember	1	HMC
01-T0-1010		No Front Suction Required	1	HMC
)1-V0-2022		No Bumper Backer / Reinforcement Required	1	HMC
01-V0-2032		No Front License Plate Mounting Required	1	HMC
01-V0-3324		Front Bumper Extension - 24 Inches	1	HMC
01-W0-0700		Chromed Tow Hooks Beneath Bumper	1	HMC
01-Z0-4900		No Front Permanent Mount Winch Required	1	HMC
01-Z0-8012		Front Gravelshield	1	НМС
01 <i>-Z0-8202</i>		> Center Hosewell	1	HMC
01 <i>-Z0-82</i> 10		No Left Hosewell Required	1	НМС
01-Z0-8310		No Right Hosewell Required	1	HMC
01 <i>-Z</i> 0-8715		Hosewell Straps	1	НМС
01-Z0-9802		No Chassis Lubrication System Required	1	HMC

Page	2

6/05/2014			
PART NO S	DESCRIPTION	QTY	HMC
7-A0-2023	Front Axle 22,500# - Meritor MFS	1 1	HMC
7-A0-3000	Meritor Front Steer Axle Material Surcharge - May 1, 2011		HMC
7-AC-4500	45° Cramp Angle	1	l.
77-B0-0100	Oil Seals - Front Axle - Factory Premium	1 1	HMC
7-C0-0100	S-Cam Brakes - Front Axle	1	HMC
7-C0-2229	No Front Axle Dust Shields Required	1	HMC
77-R0-1024	Front Suspension 22,500# - Semi-Elliptical Spring	[ 1	HMC
77-RS-0100	Shock Absorbers - Front Axle	1 1	HMC
77-Y0-0124	Steering - 22,500# - Sheppard Dual Gear	1	HMC
08-AT-1058	> Tandem Rear Axle 58,000#-60,000# - Meritor RT-58-185	1	HMC
08-AT-3000	Meritor Tandem Rear Axle Material Surcharge - May 1, 2011	1 1	HMC
08-AU-0100	Tandem - Inter-Axle Differential Lock	1	HMC
08-AV-R185	185 Series Differential - Tandem Axle	1 1	HMC
08-AV-S010	Axle Lube - Non Synthetic	1	HMC
08-AV-T010	No Magnetic Drain Required - Rear Axles	1	HMC
08-AW-1000	No Driver Controlled Differential Lock Required	1	НМС
08-B0-0100	Oil Seals - Rear Axle - Factory Premium	1	HMC
08-C0-0220	S-Cam Brakes - Tandem Rear Axle	1	HMC
08-C0-0320	Dust Shields - Tandem Rear Axle	1	НМС
08-PA-0200	Vehicle Top Speed 62 - 65 MPH	1	НМС
08-PA-1100	NFPA Vehicle Top Speed Statement	1	НМС
08-R0-3060	Tandem Suspension 60,000# - Raydan Air Link Walking Beam	1	HMC
08-RS-0500	Axle & Chassis Laser Alignment	1	HMC
08-T0-0100	No Automatic Tire Chains Required	1	HMC
08-Y0-0100	No Telma Retarder Required	1	HMC
)9-A0-1100	Air System - Color Coded Nylon Air Lines - Tandem Axle	1	HMC
09-A0-1108	Bendix AD SP Dryer	1	НМС
19-A0-1208 19-B0-0210	No Accessory Air Reservoir Required	1	HMC
19-B0-0210 19-B0-0240	Dedicated Air Horn Reservoir	1	HMC
)9-B0-0240 )9-D0-0102	Air Tank Drains - Manual	1	HMC
	No Emergency Spring Brake Release System Required	1	НМС
09-E0-0100	No Front Axle Service Brake Locking System Required	1	HMC
09-E0-0200		1	1
09-F0-0100	No Air Inlet/Outlet Required Air Auto Eject - Kussmaul w/Weatherproof Cover	1	1
09-F0-0201	Cab Exterior Mounted - Behind the Driver's Door	1	HMC
09-F0-0212		1	HMC
09-F0-0300	No Air Horn Manual Shut-Off Required	1	
09-F0-0402	No Air Suspension Dump Valve Required	1 1	
09-L0-0600	ABS Brake System - 6 Wheel - Meritor/Wabco	1	
09-LB-1002	No ABS Mud/Snow Selector Switch Required	1	HMC
09-RS-1012	> Stability Enhancement System - 6 Wheel - Meritor/Wabco	1	
09-X0-0100	No Onboard Air System Compressor Required	ì	
10-GF-2100	> Goodyear 425/65R22.5-20PR (L) Front - G296 - 24,600#-26,320#	1	1 -
10-GG-0044	22,800# - Std Load Rating G296 425/65R22.5 L	1 1	HMC
10-GT-5800	Goodyear 315/80R22.5-18PR (J) Rear - G291 - 60,000#	1	1
10-GV-0065	Tire Speed Rating - 65 MPH	1	1
10-GV-0075	Tire Speed Rating - 75 MPH	1 1	
10-GW-0132	Tire Pressure Monitoring Device - 3 Axles - LED Alert	1	
10-W0-0010	Steel Disc Wheels, Front	1	
10-W0-0030	Steel Disc Wheels, Rear Tandem Axle	1 1	1
10-WS-0008	No Spare Front Wheel Required	1	
10-WS-0018	No Spare Front Tire and Wheel Required	1	1
10-WS-0028	No Spare Rear Wheel Required	1	HMC
10-WS-0038	No Spare Rear Tire and Wheel Required	1	HMC
10-X0-0200	Front, Full Stainless Steel Wheel Covers	1	
10-X0-0400	Rear, Full Stainless Steel Wheel Covers	2	
10-Z0-0010	No Crossfire System Required	2	4
	Engine Cooling System Radiator - 1400 Sq. In.	1	HMC
13-AU~14UU		1	HMC
13-A0-1400 13-A0-1450	Engine Coolant Recovery System	, , ,	
13-A0-1400 13-A0-1450 13-A0-1500	Engine Coolant Recovery System Charge Air Cooler - Engine Air Intake	1	

3/05/2014	DESCRIPTION	QTY	11
PART NO S		1	НМО
3-A0-1900	Premium Cooling System Hoses	1 1	НМ
3-A0-1950	No Constant Torque Cooling System Clamps Required	1	НМ
3-A0-1974	Heater Shut Off Valves	1	нм
3-A0-2002	No Radiator Skid Plate Required	1	HM
3-DU-6626	> Cummins ISX12 - 500 HP - EPA13 - 1400 Radiator	1	HM
3-L0-0002	Engine Oil - First Fill		
3-LD-5002	No Engine Magnetic Drain Plug Required	1	НМ
3-N0-0220	Engine Brake - Cummins ISM/ISX Engine	1	НМ
13-P0-2300	Fast (High) Idle - Manual Select - Auto Low Voltage	1	НМ
3-R0-0010	No Engine Block Heater Required	1	HM
13-S0-0040	Corrosion Inhibitor	1	HM
13-V0-0120	Auxiliary Engine Cooler - Sendure	1	HM
13-V0-0210	Spark Arrestor - Air Intake	1	HM
13-V0-3210 13-V0-3000	Fan Clutch	1	HM
13-Y0-0522	EPA 2010/2013 Compliant Exhaust Treatment System - ISX	1	HM
13-Y0-0522 13-Y0-1512	Cummins Aftertreatment System - EPA10 - ISX	1	HN
	Stainless Tailpipe - Curb Side - 90° Exit - Straight Cut End	1 1	HM
13-Y0-3010		1	HN
13-Y0-6010	Exhaust Tailpipe Diffuser	1	HN
13-Z0-0010	DEF System - 5 Gallon Reservoir - EPA10	1	HIV
14-C0-4000	Allison 4000EVS Automatic Transmission	1	HN
14-C0-5002	No Transmission Magnetic Drain Plug Required	1	HN
14-D0-0100	Transmission Fluid - Allison TES-389		_
14-ER-0200	Five Speed Allison Programming - 4000EVS	1	HN
14-ES-0100	Transmission Selector - Lever Type	1 1	HN
14-ES-0400	Transmission Fluid Check - Transmission Selector	1	HN
14-ET-0100	Automatic Neutral Programming - 3000EVS / 4000EVS	1	HI
14-T0-0020	No 4000EVS 9 o'clock PTO will be installed	1	HN
14-T0-0022	No 4000EVS 1 o'clock PTO will be installed	1	HN
14-W0-1200	1810 Series Drivelines	1	HN
14-W0-1802	Temporary Installed Drivelines	1	HN
14-X0-0010	No Driveline Guards Required	1	HN
25-A0-2000	> Fuel Tank - 50 Gallon	1 1	HN
25-A0-2000 25-A0-3000	No Magnetic Drain Required - Fuel Tank	1	HA
	Fuel Filter - Cummins - Factory	1	HA
25-F0-0200		1	ſ
25-U0-1000	No Fuel Re-Prime Pump Required	1	HI
25-V0-0000	Reinforced Fuel Lines	1	HA
25-V0-1100	No Fuel Filter Shut-Off Required	1 1	HI
	CAB MODEL	1	HN
40-D0-0410	3/16" Aluminum - MFDxl - Spectr Tilt Cab - 12" Raised Roof		1 511
	X Notched Raised Roof	1	
40-D0-0900	Cab Crashworthiness Test	1	HN
	CAB INTERIOR	1	HN
40-D0-5040	Cab Interior Appointments and Options - Spectr - Chassis	1 1	HN
	CAB EXTERIOR	1	HI
40-D1 <b>-</b> 6040	Cab Exterior Appointments and Options - Spectr - Chassis - Stylized Grille	1	HI
40-DE-0100	Engine Enclosure - Vinyl Covering	1	HN
40-DE-1040	Brushed Stainless Interior Door Panels	1	HN
40-DE-2010	Interior Padding - Standard Ceiling	1	HN
40-DE-2010 40-DE-2020	Interior Padding - Standard Rear Wall	1	HI
40-DE-2020 40-DE-2060	Floor Material - Accoustical Wear Mat	1	HI
40-DE-2000 40-DE-3010	No Door Interior Reflective Material Required	1	1
		1 1	HN
40-DE-3410	No Door Interior Lighting Required	1	HN
40-DE-4010	Cab Step Well Trim - Step Tops and Toe Kick Area	1	HN
40-DH-0240	Grab Hndls - Inside - Officer's A-Post and Both Crew Doors	) '	HN
40-DH-1010	No Officer's Side Dash Grab Handle Required	1 1	
40-DH <b>-</b> 1220	Officer's Radio Compartment With Door	1 1	1 '
40-DH-2100	Exterior Grab Handles - 24" Long	1	HN
40-DH-2180	No Cab Front Grab Handles Required	1 1	HN
40-011-2100		1 4	1 1 18
40-DN-2100 40-DS-4120	Full Width Intermediate Front Step - 100" Cab	1 1	HN

06/05/2014			Page 4
PART NO S	DESCRIPTION	QTY	ID HMC
40-DX-0110	Stylized 3-Dimensional Cab Front Grille		
40-DX-0220	Stylized Front Silver Finished Headlight Trim	1	1 1
40-G0-1010	Cab Front Mudflaps	1 1	HMC
40-G0-1110	Cab Ground Lights No Burmor Ground Lights Required	1 1	HMC
40-G0-1402	No Bumper Ground Lights Required  > Dual Stutter Tone Air Horns - Bumper Recessed	1	1
40-H0-1110	> Dual Stutter Tone Air Horns - Bumper Recessed Air Horn Circuit Powered - Battery and Ignition	1	
40-H0-1201	Air Horn Circuit Powered - Battery and ignition Air Horn Control - Driver's Foot Switch	1	1
40-H0-1220 40-H0-1310	Vehicle Horns / Electronic Siren Selector Switch	1	
40-H0-2130	Electronic Siren - Whelen - Model 295SLSA1	1	
40-H0-3002	No Q2B/Super Chief Siren Required	1	
40-H0-4002	No EQ2B Siren Required	1	
40-H0-5310	No Siren Switch Required	1	1
40-H0-5410	Siren Head Mounting - Doghouse Mounted	1	
40-HA-2010	Siren Speakers - Two - Cast Products - Recess Mtd	1	
40-J0-1500	Heated and Remote Controlled Moto-Mirror with Lower Convex	1	1
40-J0-3000	No Crew Peeper Door Mirrors Required	1	HMC
40-K0-1000	Cab Side Windows - Fixed Glass	1	1
40-K0-1200	No Rear Wall Windows Required	1	НМС
40-K0-2000	No Door Electric Windows Required	1	
40-K0-3000	No Powered Door Locks Required	1	
40-K0-3500	No Rear Door Safety Bars Required	1	
40-KA-4050	Dark Gray-Lite Door Glass - All Glass Except Windshield	1	
40-LC-0114	Open Compartment Light - Red Flashing - Whelen OS LED	1	HMC
40-LC-2010	Audible Alarm for Open Compartment Circuit	1	
40-LD-0110	Interior Lighting Group - Spectr	1	
40-LD-2100	No Red Dome Lights Four (4) White ( Red I ED Dome Lights	1	1
40-LD-2168	Four (4) White / Red LED Dome Lights Whelen LED Step Well Lights	1 1	
40-LD-4120   40-LE-1002	Whelen LED Step Well Lights Engine Maintenance Lights - Custom	1 1	HMC
40-LG-1000	No Officer Computer Console Required	1 1	HMC
40-LM-1000	No Officer Computer Console Required  No Officer Maplight Required	1 1	
40-LS-1000	No Cab Spotlights Required	1 1	HMC
40-LS-2000	No Handheld Spotlights Required	1 1	HMC
40-N0-0020	Cab Lower Side Bright Stainless Trim - 2 Inch	1 1	1
40-N0-0110	No Cab Front Stainless Trim	1	HMC
40-N0-0810	Cab Stainless Fender / Stainless Wheel Well Liner	1	HMC
40-N0-1400	Exterior Rear Wall - Diamondplate Overlay	i	HMC
40-N0-1600	No Raised Roof Diamond Plate Covering	1	
40-P0-0100	Cab Tilt - Electric Pump		HMC
40-P0-0400	Cab Tilt Road Interlock	1 1	1
40-P0-1710	Cab Tilt - Aerial Interlock	1	НМС
	CAB AND CHASSIS PAINT	1	НМС
40-Q0-1002	Cab & Chassis Paint - Spectr	1	HMC
40-Q0-1010	Black Gloss Enamel Painted Frame	1	HMC
40-Q0-1030	No Wheel Paint Required	1	HMC
40-Q0-1030	No Wheel Paint Required	2	1
40-Q0-1410	> Gray Interior Paint	1	1 1
40-Q0-2012 40-Q0-2112	Headliner - Gray Rear Wall Covering - Gray	1	1
40-Q0-2112 40-Q0-2212	Rear Wall Covering - Gray Floor Covering - Gray	1 1	HMC
40-Q0-2312	Proof Covering - Gray  Doghouse Covering - Gray	1 1	HMC
40-Q0-2502	Dognouse Covering - Gray  Dash Housing and Officer Console - Black	1 1	HMC
40-Q0-3020	> Two-Tone Cab Exterior Paint	1 1	HMC
40-Q0-3070	> Two-Tone Cab Exterior Paint > Cab Exterior Paint - Dupont - Urethane	1 1	HMC
40-Q0-3120	10 Year Cab Paint Warranty	1 1	HMC HMC
40-Q0-4002	No Touch-Up Paint Required	1	HMC
40-Q0-4110	No Paint Spray Out Approval Sample Required	1	HMC
40-Q0-5030	Two Tone Cab Breakline Strip - Simulated Gold	1	HMC
	SEATING	1	HMC

00/05/0014			Page 5
06/05/2014 PART NO	S DESCRIPTION	QTY	ID
40-RS-2008	> Spectr - MFDxl - LFD - 2 Rear Facing - 2 Center Fwd Face	1	HMC
40-S0-0010	Seat Position 1 - Driver's Seat	1	HMC
40-50-0010	Seat Position 2 - Officer's Seat	1	HMC
40-S0-0020 40-S0-0030	Seat Position 3 - Rear Facing Left Outboard - Behind Driver	1	HMC
40-80-0060	Seat Position 6 - Rear Facing Rt Outboard - Behind Officer	1	HMC
	Seat Position 8 - Fwd Facing - Left Inside		HMC
40-S0-0080	Seat Position 9 - Fwd Facing - Right Inside	[ 1	HMC
40-S0-0090	Highback - Air Ride Suspension - Seats, Inc.	1 1	НМС
40-S0-1050	Highback - Air Ride Suspension - Seats, Inc.	1	HMC
40-S0-1050	Highback - An Hide Suspension - Seats, Inc.  Highback - Non-SCBA - Fixed Crew Seat - Seats, Inc.	1	HMC
40-S0-5050		1	HMC
40-S0-5050	Highback - Non-SCBA - Fixed Crew Seat - Seats, Inc.	1 1	HMC
40-S0-5452	RR Out Highback - Non-SCBA - Fixed Crew Seat - Seats, Inc.	1 1	HMC
40-S0-5452	RR Out Highback - Non-SCBA - Fixed Crew Seat - Seats, Inc.	1	HMC
40-S0-6110	> Forward Facing Seat Riser - w/In-Cab Storage Tray	1	HMC
40-S0-7230	> Tuff Tex Seat Covering - Seats, Inc.	1	HMC
40-S0-7520	Seat Covers - Gray		
40-S0-8002	Seat Belt Warning Labels	1	HMC
40-S0-8014	Vehicle Data Recorder and Seat Belt Warning System		HMC
40-S0-8016	Seat Belt Warning System Monitor Panel	1	HMC
40-S0-8110	Red - Shoulder Harness - Seat Belt	1	HMC
40-50-8110	Red - Shoulder Harness - Seat Belt	1	HMC
40-S0-8110	Red - Shoulder Harness - Seat Belt	1	HMC
40-S0-8110	Red - Shoulder Harness - Seat Belt	1	HMC
40-S0-8120	Red - Lap Type Belt - Seat Belt	1	HMC
40-S0-8120	Red - Lap Type Belt - Seat Belt	1	HMC
40-S0-8502	No Roll Over Occupant Protection Required	1	HMC
40-SU-0900	No EMS Storage Cabinet Required	1	HMC
40-U0-0200	In-Dash Heater / Defroster with Floor Heat - Spectr	) 1	HMC
40-U0-0302	No Defroster Fans Required	1	HMC
40-U0-0452	> 45,000 BTU Air Conditioning w/Heater - Split Condensors	1	HMC
40-U0-0610	36,000 BTU Supplemental Heater	1	HMC
40-U0-0620	Cab Climate Control Insulation Package	1	HMC
40-U0-1002	No Crew Floor Supplemental Heater Required	1	HMC
40-U0-2002	No Roof Vents Required	1	HMC
40-U0-2502	No Heater Hose Insulation Required	1	HMC
40-V0-0100	Driver Instrumentation (J1939) and Controls	1	HMC
40-V0-0120	Audible Turn Signal Reminder	) 1	HMC
40-V0-0122	Audible Lights On Reminder	1	HMC
40-V0-0124	Audible Parking Brake Reminder	[ 1	HMC
40-V0-0130	Dual Trip Odometers	1	HMC
40-V0-0148	> Odometer Activated While in Pump Mode	1 1	HMC
40-V0-0150	Low Fuel Warning Light and Alarm	1	HMC
40-V0-0152	Transmission Temperature Warning Light and Alarm	[ 1	HMC
40-V0-0154	Low Voltage Warning Light	1	HMC
40-V0-0156	Air Cleaner Restriction Indicator	1 1	HMC
40-V0-0160	Low Coolant Warning	1	HMC
40-V0-0162	Wiper Control, Intermittent	1	HMC
40-V0-0202	No Officer's Side Speedometer Required	1	HMC
40-V0-0302	No Digital Clock Required	1	HMC
40-V0-0402	No Ammeter Required	1 1	НМС
40-V0-0510	Parking Brake Control - Doghouse Switch Panel	1	НМС
40-X0-0118	Control Center Switch Panel - Doghouse Mtd - Analog - Spectr	1	HMC
40-X0-6302	Recessed Cup Holders - Console Mounted	1	НМС
40-Y0-0010	No Intercom System Required	1	HMC
40-YS-0002	Cab Mounted Firefighter Handlights	1 1	HMC
40-YS-0008	No Doghouse Firefighter Handheld Lights Required	li	HMC
40-YS-0010	No Left Rear Facing Seat Handheld Light Required	l i	НМС
40-YS-0012	No Right Rear Facing Seat Handheld Light Required	1 1	HMC
40-YS-0014	No Left Forward Facing Seat Handheld Light Required	l i	HMC
40-YS-0016	No Right Forward Facing Seat Handheld Light Required	1	HMC
	2 3	'	
		1	

06/05/2014			Page 6
PART NO	S DESCRIPTION	QTY	ID
40-Z0-0001	12 VDC Power Selections For Accessories, Radios and Chargers	[] 1]	
	12 VDC Power Point Socket	1	HMC
40-20-0010	Battery Direct Power	[ 1	HMC
40-Z0-0012		1	HMC
40-Z0-0120	Location - Officer's Side	1	HMC
40-Z0-0180	No Additional 12 VDC Power Point Outlet Required	1	НМС
40-Z0-0210	12VDC Power Circuits - Radio and/or Accessories	1	HMC
40-Z0-0300	Location - Power Panel	1 .	HMC
40-Z0-0380	No Additional 12 VDC Power Circuit Required	1 1	1 1
40-Z0-0402	No 120-volt AC Wiring Required	1	HMC
40-Z0-0802	No NMO Antenna Mount and Coax Required	1	HMC
40-Z0-1202	No Map Box Required	1	HMC
40-Z0-3002	No AM/FM Radio Required	1	HMC
40-Z0-9910	Fire Extinguisher and Hazard Triangle Kit	1	HMC
40-20-9910	FRONT BUMPER / AUDIBLE WARNING	1	НМС
40.44.0040		1 1	HMC
42-A1-2012	Front Bumper - 12" High - Polished Stainless - Chassis - Stylized Grille		HMC
45-D0-0200	320 Amp Alternator - Leece-Neville - 4890JB	1	
45-E0-0100	EMI/RFI Noise Supression	1	HMC
45-NS-0100	Apparatus Base Analog Electrical System	1	НМС
45-NS-0602	No Load Management Required	1	HMC
45-NS-0802	Stainless Steel Battery Tray	1	HMC
45-NS-0803	No Battery Box Covers Required	1	HMC
45-NU-0304	Single Battery System - 4 Group 31	1 1	HMC
45-NU-0460	No Battery On Light Required	1	HMC
	Battery Jumper Studs	1	HMC
45-NU-0510			HMC
45-NU-0600	No Battery Box Dri-Dek Required	1	
45-T0-0010	No Onboard Battery Charger	1	HMC
	Lighting Selections	1	HMC
	Custom Cab - Cab & Chassis Headlights, ICC Lighting	1	HMC
55-02-1002	Custom Cab - Cab - LED - ICC Lighting - Whelen OS Series	1	HMC
55-03-0100	Headlights - Halogen - Daytime Running - Custom Cab	1	HMC
55-03-0135	No Driving/Fog Lights Required	1	HMC
55-03-0200	No 'Rookie Rods' with Light Required	1 1	HMC
55-04-0700	Frt Turn Signal - FedSig - LED - Outside Hdlts - Custom Cab	1	HMC
55-05-0120	Cab Side Turn Signal, Whelen LED, Wheelwell Mounted	1	HMC
55-06-0480	Back Up Alarm	li	HMC
33-06-0460		1	1
57.04.0000	Custom Chassis Warning Light Selection	1 1	HMC
57-01-C332	Whelen - LED - Chassis - Pumper	1	HMC
57-03-1000	Lens Color - Both Red	1	HMC
<i>57-03-1000</i>	Lens Color - Both Red	1	HMC
57-04-0110	No Cab Forward Lightbar Required	1	HMC
57-10-0000	No Opticon Option Required - Separate Roof Mounted	1	HMC
57-20-3302	Cab, Lwr, Frt, Whelen - 600 Series - Super LED	1	HMC
57-30-3304	> Bumper Side, Whelen - 600 Series - Super LED	1	HMC
57-32-0000	No Cab Over Front Tire Area Warning Lights Required	1 1	HMC
57-50-0000	No Cab Roof Top, Side Facing Lightbar Required	1 1	HMC
57-70-0000	No Cab Roof For, Side Facing Lightsal Required  No Cab Center Front Above Grille Warning Lights Required	;	HMC
1		1 :	
57-80-0000	No High Beam Alternating Headlight Warning Lights Required	1 !	HMC
58-09-1010	No Cab Side Scene Lights Required	1	HMC
58-10-8004	No Forward Cab Quartz Lighting Required	1 1	HMC
58-10-8006	No Side Quartz Lighting - Custom Cab Roof - Required	1 1	HMC
62-01-0100	> Temporary Chassis Rear Taillights and Mud Flaps	1	HMC
69-C0-0200	Electronic Chassis Operator's Manual w/Parts List - One Set	1	HMC
70-W0-0100	Chassis and Major Component Warranty Information	1	HMC
70-W0-0410	Meritor Axle Warranty	1	HMC
70-W0-0510	Allison Transmission - 5 Year EVS Warranty	1 1	HMC
70-W0-0610	Engine Warranty - 5 Year	1	HMC
70-W0-0010	Cab Structural Warranty - Ten Years	1	HMC
		1 !	1
70-W0-9102	Cab & Chassis Warranty - One Year		HMC
71-10-0002	Diagnostic Cables and Software	1 1	HMC
71-10-0010	No Diagnostic Software Cables Required	1	HMC
		1	
1		1	1

00/05/004 4			Page 7
06/05/2014	S DESCRIPTION	QTY	ID
<b>PART NO</b> 71-10-0020	No Bluetooth Devices Required	1	HMC
71-10-0020	No Cummins Diagnostic Software Required	1 1	HMC
71-10-0030	No ABS/ATC Diagnostic Software Required	1	HMC
71-10-0000	No Allison Diagnostic Software Required	1	HMC
,	No EsKey Modern Required	1	HMC
71-10-0100	Padybuilder Home	1 1	HMC
70 00 0010	Bodybuilder Interface Items Available	1	HMC
72-00-0010	No Vernier Throttle Ship-Loose Required	1 1	HMC
72-13-1102	No ENFO-III Ship Loose Required	1	НМС
72-13-2102	No Pressure Governor Ship Loose Required	1	HMC
72-13-3102		1	HMC
72-25-1002	No Additional Fuel Gauge Required	1 1	HMC
72-25-1102	No Drive-Away Fuel Fill Extension Required	1	HMC
	v2.810 - RELEASE DATE - 01/16/13	1	FE
	== Chassis Mods - STOCK/CINDER - 1403.002 03/17/14 ==	1	FE
02-M6-4020	Mechanical Siren - DS Pedestal Mount (P7), Federal Q2B	1	1
02-M8-0220	Siren Wiring - Active in Response Mode Only	1	FE
02-M8-1020	Switches - Siren (2), Driver/Officer Side Floor	1	FE
04-T2-6260	Mud Flaps - Rear	1	FE
08-E8-4420	> Battery / Air Charger - Kussmaul Pump Plus 1200 091-193-12	1	FE
08-G4-2020	> Receptacle - Kussmaul 20 AMP Super Auto-Eject 091-55-20-120	1	FE
08-G6-0220	Cover - Super Auto Eject Yellow, Kussmaul 091-55YW	1	FE
08-G8-8220	Plate - Shore Power Inlet	1	FE
10-A2-6220	Transmission Lock-Up - EVS4000	1	FE
10-H4-1820	> Fire Pump Installation	1	FE
10-J8-2020	DEF Fill w/Door - Left Crew Cab Extension	1	FE
14-H4-0420	Interior Trim - Lower Door Panels Reflective Material (4 Door Cab)	1	FE
18-M8-0220	Camera - Back Up w/Color Monitor, Hanscom HC-7211	1	FE
18-M8-0820	Camera - Officer Side View, Hanscom HC-IR250	1	FE
	CAB INFORMATION PLATES	1	FE
18-P2-0220	Plate - Carrying Capacity NFPA	1	FE
18-P2-2820	Plate - Seating Capacity 6 People	1	FE
18-P4-0220	Plate - Occupancy/Seat Belt	1	FE
18-P4-0420	Plate - "Do Not Wear Helmet While Seated"	1	FE
18-P4-0620	Plate - Overall Height/Length/Weight	1 1	FE
18-P4-0820	Plate - Fluid Capacity	1	FE
18-P4-1020	Plate - Apparatus Movement Warning	1	FE
18-P4-1220	Plate - "Do Not Ride"	1	FE
10-1 4-1220	== Pump Enclosure - Aerials - Rear Mount - 1403.002 03/17/14 ==	1	FE
20-A2-0220	PUMP MODULE - SIDE MOUNT EXTRUDED ALUMINUM	1	FE
20-A4-2220	> Separate Pump Module - Extruded	1	FE
20-C4-0220	Pump Panels - Black Anodized Aluminum	1 1	FE
20-C6-1020		1	FE
20-C6-1020	> Pump Panel - Fully Hinged, Right Side	1	re
20-00-1020	X < > Pump Panel - Hinged, Right Side	1	
	The upper panel (above the intermediate pump panel step) shall have	\ \ \	
	two-(2) hinged treadplate access doors and the lower anodized panel shall		
	be fully hinged.		
00 DC 0000	Limbs Laft Cida Domon Banal On Co. 150 4	1	
20-D6-0220	Light - Left Side Pump Panel, OnScene LED Access	1 1	FE
20-D6-1220	Light - Right Side Pump Panel, OnScene LED Access	1	FE
20-D8-0220	Light - Pump Compartment, Halogen	1	FE
20-F2-1820	Steps - Intermediate Pump Panel, Left/Right Side	1	FE
20-F4-0220	Running Board - Aluminum Tread Plate, Left Side	1	FE
20-F4-1220	Running Board w/Hose Tray - Aluminum Tread Plate, Right Side	1	FE
20-F8-0220	> Slide-Out Platform - Pump Operator's, 500-Pound Capacity	1 1	FE
20-G4-2220	Handrails (2) - Above Dunnage Area, 12" Knurled Aluminum	1	FE
20-H4-0820	Switch - Air Horn, Pump Panel	1	FE
20-J4-2420	Pressure Governor - Class 1 TPG Plus 118710	1	FE
20-J6-0220	Gauges - 2-1/2" Pressure, Metal Face	1	FE
20-J6-6220	Gauge Bezels - Color Coded	1	FE
20-M4-0220	Tags - Pump Panel, Color Coded (Metal)	1/	FE
		( /	

00/05/004 4			Page 8
06/05/2014	S DESCRIPTION	QTY	ID
PART NO	Pump System - 1250-2000 GPM Single Stage, Hale QMAX	1	FE
22-A2-0420		1 1	FE
22-F2-0220	Packing Glands - Hale	1	FE
22-G2-0220	Pump Shift - Dash Mounted	1	
22-J2-0220	X Primer - Pump, Trident Emergency Products AirPrime	3	FE
22-M2-0220	< Anodes - Pump Corrosion (Each)	اد	FE
1	There shall be an anode on each discharge side of the pump and one-(1) in		,
	the suction side.	}	
		[	
22-P2-0620	Valve - Master Pump Drain	1	FE
22-R2-0220	U.L. Test Points	1	FE
	> Certification - U.L. 2000 GPM Pump	1	FE
22-R2-2220		1	FE
22-R4-0420	Plate - Pump Test Certification	1	FE
24-A2-4020	Suction Header - 6" w/Long Handle Cap, Left Side		FE
24-B2-4020	Suction Header - 6" w/Long Handle Cap, Right Side	1	1
24-J8-0420	Valve - Intake Relief, Akron 59	1	FE
24-R2-4220	X < Tank-To-Pump - 4" Valve w/Handwheel Control	1	
	The hand wheel control shall be an Elkhart GWP-4with chrome finish.	1	l
1		İ	
24-S6-1020	< > Tank Fill - 2" Valve w/Handwheel Control	1	FE
27 00 7020	The hand wheel control shall be an Elkhart GWP-4with chrome finish.	1	
İ	The hall wheel control shall be an Emilan GW 4with emilian		
04 60 0000	V Direct Tonk Fill 1 BB 2 1/9" Value w/Curing Control	1	1
24-S8-0220	X Direct Tank Fill - LPR, 2-1/2" Valve w/Swing Control	1	
24-T2-0420	Cooler - Engine, 1/2" Line w/ 1/4 Turn Valve	1	FE
24-T2-0620	Cooler - Pump, 3/8" Line w/ 1/4 Turn Valve	1	FE
24-W2-0220	Plumbing - Galvanized Steel	1	FE
24-W4-0220	Paint - Pump and Plumbing, Black	1	FE
1	VALVE PACKAGE - AKRON - Controls Push-Pull	1	FE
26-C2-0000	SUCTION INLETS	1	FE
26-D2-0420	Suction - LPF, 2-1/2" Valve w/Swing Control	1	FE
28-00-0000	DISCHARGE OUTLETS	1	FE
28-00-0420	All 2-1/2" Side Discharge Outlets Terminate REMOVABLE 30-Degree Elbows	1	FE
28-A6-0220	Discharge - Front Bumper w/ Swivel - thru Tread Plate (PS)	1	FE
1		1	ı
28-A8-2020	> Discharge - Front Bumper, 2-1/2" Valve w/Push Pull Control	1	FE
28-A8-6020	Discharge - Swivel Stop, Treadplate	1	FE
28-D2-0820	Crosslay No. 1 - Double Lay, 2" Valve w/Push Pull Control	1	FE
28-D4-0820	Crosslay No. 2 - Double Lay, 2" Valve w/Push Pull Control	1	FE
28-D6-4220	Crosslay No. 3 - Double Lay, 2-1/2" Valve w/Push Pull Control	1	FE
28-D8-0420	Dividers - Crosslays (2)	1	FE
28-D8-0820	Cover - Hypalon, Crosslays	1	FE
28-D8-2020	Cover - End Flaps w/Snaps, Crosslays (2)	1	FE
28-D8-6020	Cover Color: Red	1	FE
28-H8-0220	Discharge - LPF, 2-1/2" Akron Valve w/Push-Pull Control	1	FE
28-J8-0220	Discharge - LPR, 2-1/2" Akron Valve w/Push-Pull Control		FE
		1	i .
28-J8-4220	Discharge - Left Panel, Aerial Waterway 4" Akron Valve w/Handwheel Control	1	FE
28-K2-9920	Flowmeter - Pump Panel, Fire Research DFA400-040	1	FE
28-M2-2220	> Discharge - RPF, 3" Akron Valve w/Handwheel Control	1	FE
28-P6-0220	Discharge - RPR, 2-1/2" Akron Valve w/Push-Pull Control	1	FE
28-V6-0220	> Discharge - Left Rear, 2-1/2" Akron Valve w/Push-Pull Control	[ 1	FE
30-E2-0220	Foam System - Feecon APH 1.5	1	FE
30-E2-0420	X < Foam Connection - Left Pump Panel	1	
	There shall be a 1-1/2" auxiliary foam pickup at the left side pump panel		
	with quick connect for remote foam application with a manual valve to	i	
}	switch from on board foam tank or auxiliary pickup tube.		
	omiton from on board toam tank of auxiliary pickup tube.		
30-J2-2220	Gauge - Class R Foam EDC Tonk Vision WI A070 A00	4	CC
i i	Gauge - Class B Foam, FRC Tank Vision WLA270-A00	1	FE
30-S2-0820	> Foam Tank No. 1 - Polypropylene, 40 Gallons	1	FE
30-S2-2220	< Foam Refill System - Foam Pro Power Fill	1	FE
}	Location: Driver's side pump panel if possible		
1		1	
32-E2-2020	Return Line - Fill Subsurface	1	FE

06/05/2014				Page 9
PART NO	S	DESCRIPTION QT		ID
22 42 1220		== Bodies - Platform RMP 100' Ext 300 Gal - 1403.002 03/17/14 == Water Tank - Polypropylene, 300 Gallons (R)	7	FE FE
32-A2-1220 32-D8-0420		Certification - NFPA Water Tank Size	1	FE
34-A2-1220		Gauge - Water Level, Tank Vision WLA200-A00	1	FE
56-B6-1020		Sody - Extruded Aluminum, 100RMPWP Rescue Style Left/EZ Stack Right	1	FE
		A 9" x 9" hinged service access door shall be provided in the driver's side front	1	
		outrigger service panel.		
56-B6-4820	s	OMIT ITEM	1	FE
56-B6-4820	X	< Compartment Layout - 100RMPWP Rescue Style Left/EZ Stack Right w/Hinged	1	
		COMPARTMENT DIMENSIONS		
		LEFT SIDE L1		
		There shall be one (1) compartment over the front outrigger. This	İ	
		compartment shall have a single horizontally hinged lift up style door. The		
		interior dimensions of the compartment shall be approximately 27"W x		
		25"H x 23"D. The useable opening shall be approximately 27"W x 25"H.	Ì	
		L2		
		There shall be one (1) compartment forward of the rear wheels. This		
		compartment shall have roll up door. The interior compartment dimensions		
		shall be approximately 35"W x 66.25"H x 24"D. The compartment shall have a useable opening of approximately 32"W x 57.5"H.		
		a ascasic opening of approximately of the x of to the		
		L3/L4		
		There shall be a high side compartment over the rear wheels. This compartment shall have two (2) openings with single horizontally hinged		
	,	lift up style doors. The interior dimensions of the compartment shall be		
		approximately 108.25"W x 38"H x 24"D. Each opening shall be		
		approximately 52.125"W x 34"H.		
		L5		
		There shall be one (1) compartment forward of the rear outrigger. This		
		compartment shall have a single hinged door. The interior dimensions		
		shall be approximately 34"W x 51"H x 24"D in the lower section and 12"D in		
		the upper. The compartment shall have a useable opening of approximately 34"W x 47"H.	ŀ	
		L6		
		There shall be one (1) over the rear outrigger. This compartment shall have a horizontally hinged single lift up door. The interior dimensions shall be		
		approximately 29.5"W x 18.75"H x 12"D. The compartment shall have a		
		useable opening of approximately 29.5"W x 14.75"H.	ĺ	
		L7	Ì	
		There shall be one (1) compartment behind the rear outrigger. This		
		compartment shall have a single hinged door. The interior dimensions of		
		the compartment shall be approximately 29.25"W x 51"H x 24"D in the lower		
		portion and 12"D in the upper portion. The useable opening shall be		
		approximately 29.25"W x 47"H.		
		RIGHT SIDE		
		R1 There shall be one (1) compartment over the front outrigger. This		
		compartment shall have a single horizontally hinged lift up style door. The	- 1	
		interior dimensions of the compartment shall be approximately 27"W x		
		25"H x 23"D. The useable opening shall be approximately 27"W x 25"H.		
		R2		
		There shall be one (1) compartment forward of the rear wheels. This		
			Ī	

06/05/2014	PECODITION	QTY	Page 10
PART NO	compartment shall have roll up door. The interior compartment dimensions shall be approximately 35"W x 66.25"H x 24"D. The compartment shall have a useable opening of approximately 32"W x 57.5"H.		יייי
	R3  There shall be a high side compartment over the forward rear wheels. This compartment shall have one (1) opening with single horizontally hinged lift up style door. The interior dimensions of the compartment shall be approximately 51"W x 38"H x 24"D. Each opening shall be approximately 51"W x 34"H.		
	R4  There shall be one (1) compartment forward of the rear outrigger. This compartment shall have a single vertically hinged doors. The interior dimensions shall be approximately 34"W x 28"H x 24"D. The compartment shall have a useable opening of approximately 34"W x 28"H.		
	R5 There shall be one (1) compartment behind the rear outrigger. This compartment shall have double vertically hinged doors. The interior dimensions shall be approximately 53.25"W x 28"H x 24"D. The compartment shall have a useable opening of approximately 53.25"W x 28"H.		
56-C0-0620 56-C2-0220 56-C2-0820 56-C2-2020	Turntable Access - Swing Out, Left Side Compartment - Ladder/Pike Pole Storage, Torque Box Compartment Door - Ladder Compartment, Hinged, NON_Locking Flush Loc Tubes (6) - Pike Pole Storage Locations: Ladder compartment	)   1   1   1	FE FE FE
56-C6-0420 56-C6-0820	Hose Chute - Left Rear  X < Tray - Removable Hose, Left Rear One-(1) removable hose tray shall be installed in the left rear hose chute The roll out hose tray shall have the capacity of storing 400' of 2-1/2' double jacket fire hose.	1 1	FE
	The tray shall be manufactured from 1/4" (.25) smooth aluminum plate with two-(2) oval shaped access holes large enough to accommodate gloved hands.	1	
	A roller shall be installed on th outer edge of the chute to aid in loading the hose tray.		
56-C6-2020 60-B2-0400	Cover Plates - Outrigger, Stainless Steel  < > Compartment Doors - Side Hinged, LOCKING Flush Look     Locations: Compartment L1, compartment L3, compartment L4     compartment L5, compartment L6, compartment L7, compartment R1     compartment R3, compartment R4 and compartment R5	' '	1
60-B2-4220	< > Compartment Door - Side Roll Up, ROM Painted (Slats & Door Frame) The door seal plates shall be standard anodized aluminum.	2	FE
	Locations: Compartment L2 and compartment R2		
64-A2-2020	Wheel Well Panels - Body, Painted Aluminum ILO Treadplate	1	FE
64-B2-0420	> Compartment - Wheel Well Double Air Bottle, Left Front	1	FE
64-B2-0820	X Compartment - Wheel Well Triple Air Bottle, Left Center	1	FE
64-B2-2220 64-B2-4420	> Compartment - Wheel Well Double Air Bottle, Left Rear > Compartment - Wheel Well Double Extinguisher, Right Front	1 1	FE
64-B2-4620	X Compartment - Wheel Well Triple Air Bottle, Right Center	1	-

06/05/2014			Page 1
	S DESCRIPTION	QTY	
64-B2-6620	> Compartment - Wheel Well Single CO2 Extinguisher, Right Rear	1	
66-A2-4620	< > Fuel Fill - Recessed w/Door, Left Side	1	FE
	Location: Driver's side rear outrigger panel		
66 40 6400	Mud Flaps - Rear	1	FE
66-A2-6420	שמע הואףs - הפמי > Rubrail - Extruded Aluminum	'1	1
66-A2-6620		6	
66-A4-6020	Step - Chrome Folding, Front of Body Locations: Three-(3) each side on the front compartment face	1 "	1 -
	Locations: Tiffee-(3) each side on the front compartment face		
66-A6-0620	Handrails (2) - Aerial Access, Knurled Aluminum	2	
66-A8-4220	Cover - Hose Bed, Hypalon	1	
66-A8-6420	Cover - End Flaps w/Snaps, Hose Bed	1	
66-A8-8020	Cover Color: Red	1	FE
	== **** BODY COMPONENTS **** - 1403.002 03/17/14 ==	1	1
	== Platform - Rear Mount 100' - 1403.002 03/17/14 ==	1 1	
68-A4-0420	Platform - 100' Rear Mount	1	1
68-A8-0420	Specifications - Rear Mount Platform	]	FE
68-B4-0420	Construction / Dimensions - Rear Mount Platform	]	FE
68-C2-0220	Automatic Extending Egress Handles - Platform	1	
68-C2-1020	Cover - Rungs	1	1. —
68-C2-4020	Extension Indicator Tape on Ladder	1	FE
68-C2-4220	Angle Indicator - Tip	]	FE
68-C2-4420	Angle Indicator - Lighted on Base	1	
68-C2-6220	> Ladder Signs - White	1	1
68-C4-1820	Torque Box	] 1	1
68-C4-6020	> Travel Support - Rear Mount Ladders	1	1
68-C4-8220	Design & Construction - Rear Mount Platform	1	1 . —
68-C6-0420	Storage Cabinets - (2) Equipment	1	. –
68-C6-2020	Fall Protection Equipment - "D" Rings	1	
68-C6-2220	Load Lifting Eyes	1	FE
68-C6-4020	Access Gates - Rear Mount Platforms	1	
68-C6-6020	Platform - Deck Surface	1 1	
68-C6-6220	Platform - Heat Shielding	1	
68-C6-8020	> Parapet - Ground Ladder Attachment		FE
68-D2-2220	Hydraulic System		1
68-D2-4020 68-D4-1620	Hydraulic Pump - Power Take-Off  Hydraulic Pump w/Aux. Pump for Hyd. Generator under 15K	1	1
68-D4-8020	Hydraulic Pressure Gauge - Rear Control Station	1	
68-D4-8220	High Pressure Filter - 3 Micron		FE
68-D4-8420	Filter Isolation kit		1
68-D4-8620	Emergency Pump		FE
68-D4-8820	Swivel - Hydraulic		FE
68-D4-9020	Swivel - Hydraulic Swivel - Electric		FE
68-D6-1620	Elevation System		FE
68-D6-6420	Extension / Retraction System		FE
68-D6-8020	Wear Pads / Bearing Surfaces		FE
68-D8-1620	Rotation Bearing	1	FE
68-D8-2220	Rotation Gear Box	1	FE
68-D8-4020	Tool Kit - Maintenance	l i	FE
68-E2-2020	Stabilizers - Front and Rear	1	FE
68-E2-4020	Outrigger Cylinder Stroke	li	FE
68-E4-1020	Stabilizer - Mechanical Locks	1	FE
68-E4-2040	Hot Dip Galvanizing	1	l
68-E4-4020	Stabilizer - Extension System	1	1
68-E4-6020	Lights - Stabilizer Work, Halogen	1	1
68-E8-0420	Auxiliary Stabilizer Pads (4) w/ Rack	1	FE
68-F2-0420	Controls - Stabilizer - Electric/Hydraulic	1	FE
68-F2-1220	Controls - Ground Station	1	1
68-F4-8220	Turntable - Cut-off Right Side	1	1
68-F6-1320	Stainless Steel Safety Chain	1	FE
j.			<u> </u>

06/05/2014			Page 12
PART NO	S DESCRIPTION	QTY	ID
68-F6-2020	Controls - Turntable Console	1	FE
68-F6-2420	Controls - Aerial Platform	1	FE
68-F6-6020	Controls - Electric Ramping Feature	1 1	FE
68-F6-6220	Leveling System - Platform	1	FE
68-F6-8020	Load Sensing System - Automatic	1	FE
68-G2-0220	Interlock System - Aerial Stow Operation w/Indicator Light	1	FE
68-G2-0420	Interlock System - Apparatus Body Damage Control	1	FE
68-G2-0620	Interlock System - Rotation	1	FE
68-G2-1020	Interlock System - Cradle	1	FE
68-G2-1220	Interlock System - Cab Collision Protection	1	FE
68-H2-1820	Waterway System	1	FE
68-H2-2220	Waterway Material	1 1	FE
68-H4-1420	Monitor - Elevated Master Stream - Elkhart	1	FE
68-H4-8220	Capabilities Monitor Flowing Water	1	FE
68-H6-6220	Master Stream - Controls - Basket/Turntable	1	FE
68-H8-0420	Discharge - (1) 2-1/2" at the Platform	1	FE
68-H8-2020	Waterway - Relief Valve	1	FE
68-H8-2220	Waterway - Dump Valve	1	FE
68-H8-2420	Waterway - Drain Valve	1	FE
68-H8-2820	Waterway - 4" Rear Inlet Only! - Black Iron	1	FE
68-H8-8020	Fitting - 4" Aerial Inlet	1	FE
68-J2-0220	Communication System - Two-Way	1	FE
68-K4-0220	Breathing Air System - 4500 PSI - (Single)	1	FE
68-K6-0220	Air Connection - at the Turntable	1	FE
68-M2-0220	Electrical E-Chain System	1	FE
68-M2-2420	Work Lights - Deck	1	FE
68-M2-2620	Work Lights - Turntable	1 1	FE
68-M2-4020	Marker Lights - LED - Platform	1	FE
68-M2-6020	Landing Light - Fire Research "Focus" 500W (Ea.)	1	FE
68-M2-8220	Warning Lights - (4) Whelen 700 LED (Red) - Platform	1	FE
68-M4-1220	Spotlights (2) - Aerial Base Section, Collins CD-FX-HID-1	1	FE
68-M6-4220	Spotlight - Platform - (1) Collins FX-HID 1 - Left Side	1	FE
68-M8-4220	Spotlight - Platform - (1) Collins FX-HID 1 - Right Side	1	FE
68-P2-0620	Lighting - Blue LED Rung Illumination	1	FE
68-P4-0020	120V LIGHTING PLATFORMS	1	FE
68-P4-0220	> Telescoping Light - (1) FRC Focus 500 watt - Left Rear	1	FE
68-P6-0220	> Receptacle - 120 Volt - Center Front	1	FE
68-P8-0220	> Telescoping Light - (1) FRC Focus 500 watt - Right Rear	1	FE
68-R2-0220	Paint - Aerial Device, Standard White	1	FE
68-S4-0420	Load Chart - Platform	2	FE
68-S6-0220	Plate - Electrocution Hazard - Pump Operator	1	FE
68-S6-2020	Plate - Electrocution Hazard - Aerial Ladder	1	FE
68-S6-2220	Plate - Aerial Stabilizer Motion	1	FE
68-S6-2420	Plate - Aerial Information Specification	1	FE
68-T2-0220	Testing - Third Party	1	FE
68-T2-4020	Testing - Stability	1	FE
68-T2-8020	Certificate - Inspection	1	FE
68-T6-0220	> Factory Instruction - Aerials - 3 Days	1	FE
68-T8-0220	Warranty - Aerial/Platforms	1	FE
68-T8-2020	Warranty - Aerials/Platforms - Corrosion Protection		FE
68-V4-0220	Mounting Bracket - Platform - Axe	1	FE
68-V4-0620	Mounting Bracket - Platform - Stokes Basket	1	FE
68-V6-0220	Mounting Bracket - Base Section - Roof Ladder	1	FE
68-V6-0420	Mounting Bracket - Base Section - Stokes Basket	1	FE
68-V6-0430	Hinged Lid - Stokes Basket Compartment	1	FE
68-V6-0620	Rappelling Arm - 500lb	1	FE
70 00 0000	== Elec. Components - Aerial RM Custom - 1403.002 03/17/14 ==	1	FE
70-B2-8220	Electrical System - Apparatus Body	1 1	FE FE
70-B4-2020	Electrical System - 12 Volt Testing EMI/RFI Protection	1 1	i .
70-B4-4420	EMI/AFI FIOLECTION	1	FE
l			

06/05/2014				Page 13
PART NO	S	DESCRIPTION	QTY	ID
		INTERIOR COMPARTMENT LIGHTING		FE
70-E2-2220		< > Light - 8" LED Compartment, On Scene Access 73008	2	FE
		Locations: Ladder compartment		
		There shall be two-(2) lights in this compartment.		
		70040	ار	FE.
70-E2-4220		< > Light - 16" LED Compartment, On Scene Access 73016	٥	re:
		Locations: Compartment L1, compartment L6 and compartment R1		
70 50 0400		Links OCH LED Compositment On Coope Access 72026	10	FE
70-E2-6420		< > Light - 26" LED Compartment, On Scene Access 73026 Locations: Compartment L3, compartment L4, compartment R3,	,,,	. –
		compartment R4 and compartment R5		
		There shall be two-(2) lights installed in each compartment.		
		There shall be two-(2) lights installed in each compartment.		
70-E4-0820		Light - 46" LED Compartment, On Scene Access 73046	4	FE
70-E4-0020		Locations: Compartment L5 and compartment L7	•	
		Locations. Compartment to and compartment to		
		There shall be two-(2) lights installed in each compartment.		
		There shall be the (2) lighte metalled in outside simple and		
70-E4-1820		< > Light - 54" LED Compartment, On Scene Access 73054	4	FE
70 27 .020		Locations: Compartment L2 and compartment R2		
		There shall be two-(2) lights installed in each compartment.		
70-E5-0000	X	< Compartment Light Guards - Clear Lexan	19	
		Location: All compartment lights except the four-(4) in compartments L2		
		and compartment R2		ĺ
70 110 0000		Cuitab Camportment Deer Alex Indicator	14	FE
70-H2-0220		> Switch - Compartment Door Ajar Indicator Zone A Upper Light Bars (2) - 24" LED Forward Facing, Whelen FNMINI	1	FE
72-G8-9020		Zone B/D Upper Body Side Rear Lights (2) - Red w/Clear Lens ION LED,	1	FE
72-P8-0310		Whelen	,	-
72-S6-2420	Х	Zone C Upper Outboard Lights (4) - Red TIR6 LED, Whelen ION LED	1	ĺ
72-S6-6420	Л	Zone C Upper Outboard Lights (2) - Amber M6 LED, Whelen M6A	1	FE
74-C8-9020		Zone B & D Lower Front (2) - Red M6 LED, Whelen M6R	1	FE
		Locations: One-(1) each side in the cab extension are, above the UREA fill		
		door		
74-D8-8220		< Zone B & D Lower Midship (2) - Red w/Clear Lens M6 LED, Whelen M6RC	1	FE
		Locations: One-(1) each side in body wheel well area		
74-E8-1020	X	< Lights - Outrigger Cover Plate (4), Whelen M6R	1	
		Four-(4) Whelen Model LED lights shall be mounted, one-(1) on each of the		
		outrigger cover plates. The warning lights shall be red activated by an		
		emergency warning light switch.		İ
74-G8-1620		< Zone B & D Lower Rear (2) - Red w/Clear Lens ION LED, Whelen WIONSMCR	1	FE
74-00-1020		Locations: One-(1) each side below compartments L7 and R4	•	-
1		Educations: One (1) outsit olde bolow comparations at and 11		
74-H8-1820		Zone C Lower Lights (2) - Red M6 LED, Whelen M6R	1	FE
74-J8-4220		Stop/Turn/Reverse Lights - LED, Whelen M6	1	FE
74-P2-0220		Scene Light Locations - Side of Cab, Between the Front and Rear Doors	1	FE
74-P2-2820		Lights (2) - M9 LED Scene, Whelen M9LZC	1	FE
74-P2-8620		Switches - Cab Scene Light Activation, Cab Mounted	1	FE
74-P8-0220		Scene Light Locations - Upper Rear of Body, Inboard	1	FE
74-P8-2620		Lights (2) - M6 LED Scene, Whelen M6ZC	1	FE
74-R2-4420		Switches - Upper Rear Scene Light Activation, Cab Mounted & Reverse Circuit	1	FE
		California I ED Oleanana and Malan Whater CO		==
74-S6-0820		Lights - LED Clearance and Maker, Whelen OS	1	FE
				İ

06/05/2014			Page 1
PART NO	S DESCRIPTION	QTY	ID
74-S8-0420	Lights (2) - Rear Body Corners, Britax 427 LED	1	
74-T2-0420	< Lights (6) - LED Underbody, Whelen	1	FE
	Locations: One-(1) each below compartment L2, compartment L7,		
	compartment R2, compartment R4, front bumper (centered) and rear of		
	apparatus (centered)		
74-W2-0420	Light - LED License, Whelen OSC0EDCR	1	FE
76-A0-0600	Generator Package - Above the Pump Module	1	FE
76-A8-2020	> Generator - 10 KW Hydraulic, Harrison 10.0LPG-16R	1	FE
76-A8-4020	< > Generator Monitoring Display - Harrision Generators	1	FE
	Location: Compartment L2, upper front wall		
		ا ا	
76-C2-0220	< > Breaker Panel - 240/120V 6-Leg, General Electric	1	FE
	Location: Compartment L2, upper front wall	1	
70.00.000	Floridad Ocalem Testing 400 Vall	1	FE
76-C6-0220	Electrical System Testing - 120 Volt	2	FE
76-D4-0420	< > Receptacle - 15 AMP/120V Twist-Lock, NEMA L5-15		<i>  E</i>
	Locations: One-(1) each side on front bumper extension ends (after the		
	warning light)		
76-L4-8220	Telescoping Light Locations - Thru Pump Module	1	FE
		2	FE
76-L6-4020	Light - 12 Volt 168 Watt LED Telescoping, Whelen Pioneer Plus PFP2	2	FE
76-L8-1020	Switch - Telescoping Light Activation, Pump Panel < > Reel - Electric Rewind Cord w/200' of 12-3, Hannay ECR1616-17-18	1	FE
78-A2-1220	The reel shall be located in the right side pump house area.	''	
	The reel shall be located in the right side pump house area.		
78-A2-2040	Electrical Cord Color - Yellow	1	FE
78-A4-0220	Hose/Cord Rollers	1	FE
78-A4-0420	Hose/Cord Stop - Hannay HS-3	1	FE
78-A4-0620	Plate - Power Rewind Reel	1	FE
80-B4-0420	> Wheel Paint - Job Color w/Stripe	1	FE
80-C2-0220	< Paint - Body, Single Color	1	FE
	B8241EX		
80-D2-0620	Paint - Interior Compartment, "F-Shield" Extruded Bodies	1	FE
80-D2-0820 80-E2-1820	Stripe - Scotchlite, 1-6-1 Triple	1 1	FE
80-E4-0420	Striping Color: White	1 1	FE
80-E4-4220	Pin Stripe/Secondary Stripe Color: White	'1	FE
80-E4-8820	Striping Layout: Reverse "Z" Design, Body Compartment Doors	'1	FE
80-E8-0220	Striping - Rear Body, Reflective Chevron	'1	FE
80-E8-0620	Chevron Striping Colors: 3M Red & Lime Green	1 1	FE
80-G2-0220	Lettering - 3" Spun Gold w/Shade	1	FE
80-G4-0820	Lettering Color: Gold	1 1	FE
80-G6-0820	Shade Color: Black	1 1	FE
80-G8-1820	Letters - Aerial Banner Plates	26	FE
00-00-7020	== Warranty / Manuals - Platform Custom RMP - 1403.002 03/17/14 ==	1	FE
98-A2-0420	> Warranty - Body Parts & Labor, 2-Year	1	FE
98-A2-1020	X Warranty - Cab/Chassis Parts & Labor, 1-Year	1	
98-A4-0210	Warranty - Cab Structural, 10-Year/100,000 Miles	1 1	FE
98-A4-0420	Warranty - Gab Structure, 10-Year Warranty - Body Structure, 10-Year	1	FE
98-A6-0220	> Warranty - Body Chactare, 10-1ear > Warranty - Body Paint, 4-Year/100,000 Miles	1	FE
98-A8-6020	Warranty - Body Funn, 4 Fedir 186,000 miles  Warranty - Hale Pumps	1 1	FE
98-A8-8020	Warranty - Plumbing System, 10-Year		FE
98-A8-8420	Warranty - Poly Water Tank, Lifetime		FE
98-B2-1820	Manuals - Apparatus Body & Components	1 1	FE
98-B2-2020	Manuals - Pump	1 1	FE
98-B2-6620	Wiring Diagrams - Apparatus Body, Standard	1	FE
	== Loose Equipment Pkg Platform - 1403.002 03/17/14 ==	1	FE
90-B4-0220	> ISO Compliant Aerial Ladders	1	FE
	•		

06/05/2014			Page 1
	S DESCRIPTION	QTY	ID
90-B4-0620	> ISO Compliant Aerial Ladders - Duo Safety		FE
90-C4-0420	< Ladder - 10' Folding Attic, Duo-Safety 585-A	1	FE
	Location: Ladder compartment		
90-C8-0620	< Ladder - 16' Roof, Duo-Safety 875-A	1	FE
90-00-0020	Location: Aerial base section		-
90-C8-1020	< Ladder - 20' Roof, Duo-Safety 875-A	1	FE
	Location: Ladder compartment		
	1 1 1 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	  FE
90-D4-2020	Ladder - 14' Combination, Duo Safety 35-B-14' Location: Ladder compartment	<b>'</b>	FE
	Location: Ladder compartment		
90-D8-1220	< Ladder - 28' 2-Section Extension, Duo-Safety 1200-A	1	FE
00 20 .220	Location: Ladder compartment		
	·		
90-E6-0620	< Ladder - 35' 3-Section Extension, Duo-Safety 1225-A	2	FE
	Locations: Ladder compartment		
	Billy Bala Ci Fibernian Alman III C	2	FE
90-L6-0220	Pike Pole - 6' Fiberglass, Akron UL-6 Location: Ladder compartment	2	FE
	Location: Lauder compartment		
90-L6 <b>-</b> 0420	< Pike Pole - 8' Fiberglass, Akron UL-8	1	FE
00 20 0 .20	Location: Aerial fly section		
	•		
90-L6-0620	< Pike Pole - 10' Fiberglass, Akron UL-10	2	FE
	Location: Ladder compartment		
00.1.0.0000	Dita Dala 401 Fiberalese Akrem III 10	2	FE
90-L6-0820	Pike Pole - 12' Fiberglass, Akron UL-12 Location: Ladder compartment		\ ' <del>-</del>
	Location. Lauder compartment		
92-C4-2620	< Elbow - 3" FNST x 5" Storz 30 Degree, Kochek SKE53R	1	FE
	Location: 3" right side discharge		
	·		
<i>92-C4-6220</i>	< Elbow - 4" FNST x 5" Storz 30 Degree, Kochek SKE45R	1	FE
	Location: 4" rear aerial inlet		
92-E2-0220	< Reducer - 2-1/2" FNST x 1-1/2" MNST, Kochek 37R2515	1	FE
92-62-0220	Location: Front jump line swivel	•	-
	2004.10.11 Total Jamp Into Onito		
92-F2-0220	< Cap w/Chain - 1-1/2" NST, Trident 01.005.0	1	FE
	Location: Front jump line swivel reducer		
<i>92-F4-0820</i>	< Cap w/Chain - 5" Storz, Kochek CC507	1	FE
	Location: 3" right side discharge elbow		
92-F4-0820	< Cap w/Chain - 5" Storz, Kochek CC507	1	FE
32-1 4-0020	Location: 4" rear aerial inlet elbow	'	1 -
96-C2-0220	Wheel Chocks (2) - Folding, Ziamatic SAC-44-E w/Mounting Bracket	1	1
96-E2-0220	< Pompier Ladder Belt	4	FE
	Sizes: Medium, X-large (2) and XX-Large		
	Adminstration / Promotional 1402 002 02/17/14	1	FE
	== Adminstration / Promotional - 1403.002 03/17/14 ==	'	' -
			-
			I